




C3TN



Wi-Fi Smart Home Camera

Home protection in the simplest way.

If you are seeking for a simple, durable camera to tackle multiple security needs at a super affordable price, the C3TN can't be beat. The camera is well-engineered to focus on the most needed features to get the basics right, including great video quality, extended night vision, weatherproof housing, and more.

FHD 1080p Resolution



IP67 Weatherproof Design



Motion Detection



Audio Pick-Up



IR Night Vision (Up to 30 m / 98 ft)

H.265

H.265 Video Technology



Supports MicroSD Card (Up to 256 GB)



Supports EZVIZ Cloud Storage



Crisp 1080p video with extended night vision.

Say goodbye to blurry or pixelated footage. With the EZVIZ C3TN, you can view and record everything in Full HD 1080p to capture sharper, more vivid details. The camera also features two IR lights to render clear night vision up to 30 meters.




Stands up to even extreme weather.

With an IP67-rated camera body, the C3TN is both dust- and water-resistant. It can stand steady even against the toughest weather conditions – whether it's rainy, stormy or snowy.

Keeps you in the know.

Want to know what's happening when you're not at home? Watch the livestream with a simple tap on your smartphone using the EZVIZ App. What's better, you will receive a mobile alert as soon as the camera detects motion.




It's your eyes – and ears.


The C3TN comes with a built-in noise-canceling microphone, which can pick up clear audio in the surrounding area. You can see and hear what's going on in your backyard or at your front door at any time.

Reduce storage space and relieve network loads.

With the advanced H.265 video compression technology, the camera achieves same or even better video quality with only half the bandwidth and half the storage space required by the previous H.264 video compression standard*.



Video Storage Space



Video Storage Space



Bandwidth



Bandwidth



*Data from EZVIZ Lab's test results under standard conditions. Will vary with the frequency and complexity of the activity captured, and other environmental factors.


Flexible storage options.

You can secure your recorded videos on a local microSD card of up to 256 GB, or subscribe to EZVIZ CloudPlay for fully-encrypted, unlimited cloud storage.

*Local storage cards need to be purchased separately.
The availability of EZVIZ CloudPlay services may vary across regions and countries.
Please refer to the service page on the EZVIZ App for details.



Supports MicroSD Card



Encrypted Cloud Storage*

We protect your data and privacy.

Protecting your data and privacy is our highest priority. Data transmission between the camera and the EZVIZ Cloud is encrypted from end to end. Only you have the keys to decrypt your data.



AES 128-bit encryption



TLS encryption protocol



Multi-step authentication

Specifications Model CS-C3TN(2MP)

Camera

| | |
|----------------------|---|
| Image Sensor | 1/2.7" Progressive Scan CMOS |
| Minimum Illumination | 0.01 Lux @ (F2.0, AGC ON), 0 Lux with IR |
| Shutter Speed | Self-adaptive shutter |
| Lens | 2.8 mm @ F2.0, view angle: 106° (Horizontal), 122° (Diagonal) |
| Lens Mount | M12 |
| DNR | 3D DNR |
| WDR | Digital WDR |

Compression

| | |
|-------------------|--|
| Video Compression | H.265 / H.264 |
| Video Bit Rate | Ultra-HD; HD; Standard. Adaptive bit rate. |

Image

| | |
|----------------|---|
| Max Resolution | 1920 × 1080 |
| Frame Rate | Max: 30fps; Self-Adaptive during network transmission |

Network

| | |
|--------------------|---|
| Wi-Fi Pairing | AP Pairing |
| Protocol | EZVIZ Cloud Proprietary Protocol |
| Interface Protocol | EZVIZ Cloud Proprietary Protocol |
| General Function | Anti-Flicker, Dual-Stream, Heart Beat, Password Protection, Watermark |
| Max. Bitrate | 2M |

Interface

| | |
|---------------|--|
| Storage | Micro SD card slot (Max. 256 GB) |
| Wired network | RJ45 × 1 (10M/100M Adaptive Ethernet Port) |

Wi-Fi

| | |
|-------------------|--|
| Standard | IEEE802.11b, 802.11g, 802.11n |
| Frequency Range | 2.4GHz ~ 2.4835 GHz |
| Channel Bandwidth | Supports 20MHz |
| Security | 64/128-bit WEP, WPA/WPA2, WPA-PSK/WPA2-PSK |
| Transmission Rate | 11b: 11Mbps, 11g: 54Mbps, 11n: 144Mbps |

General

| | |
|--|--|
| Operating Conditions | -4°F to 122 °F (-20°C to 50°C); Humidity 95% or less (non-condensing) |
| Power Supply | DC 12V/1A |
| Power Consumption | Max. 6W |
| IP Grade | IP67 |
| Night Vision Distance (Black/White Night Vision Mode) | Max. 30 m (98 ft) |
| Dimensions | 72 × 72 × 152 mm (2.83 × 2.83 × 5.98 inch) |
| Packaging Dimensions | 227 × 100 × 92 mm (8.94 × 3.94 × 3.62 inch) |
| Net Weight | 253 g (8.9 oz) |

In the box

- C3TN Camera
- Drill Template
- Screw Kit
- Waterproof Kit
- Power Adapter
- Regulatory Information
- Quick Start Guide

Certifications:

CE / FCC / UL / RoHS / WEEE

Specifications are subject to change without notice. "🌈", "EZVIZ" and other trademarks and logos are the properties of EZVIZ in various jurisdictions.

<https://www.ezvizlife.com/>